



Viewsonic CDE6520-W Digital signage flat panel 165.1 cm (65") IPS 450 cd/m² 4K Ultra HD Black Built-in processor Android 8.0 24/7

Brand : Viewsonic

Product code: CDE6520W

Product name : CDE6520-W



65", 3840x2160, IPS, 8 ms, HDMI, DP, VGA, RS-232, RJ-45, USB, 3.5mm, RMS 2x 16W, 22.95 kg
Viewsonic CDE6520-W. Product design: Digital signage flat panel. Display diagonal: 165.1 cm (65"),
Display technology: IPS, Display resolution: 3840 x 2160 pixels, Display brightness: 450 cd/m², HD type:
4K Ultra HD. Operating hours (hours/days): 24/7. Operating system installed: Android 8.0. Product
colour: Black



Display		Power	
LED backlighting type	Direct-LED	Power consumption (typical) *	220 W
Display diagonal *	165.1 cm (65")	Power consumption (standby) *	0.5 W
Display technology *	IPS	Energy efficiency class (SDR)	G
Display resolution *	3840 x 2160 pixels	Energy consumption (SDR) per 1000 hours	184 kWh
Display brightness *	450 cd/m ²	AC input voltage	100-240 V
HD type *	4K Ultra HD	AC input frequency	50-60 Hz
Touchscreen *	✗	Energy efficiency scale	A to G
Response time	8 ms	Computer system	
Contrast ratio (typical)	1200:1	Computer system *	✓
Contrast ratio (dynamic)	5000:1	Built-in processor *	✓
Viewing angle, horizontal	178°	Processor frequency	1.1 GHz
Viewing angle, vertical	178°	Processor cores	2
Display number of colours	1.07 billion colours	Internal memory	3 GB
Pixel pitch	0.372 x 0.372 mm	On-board graphics card model	ARM Mali-G51 MP2
Display diagonal (metric)	165 cm	Internal storage capacity	16 GB
Panel life	30000 h	Operating system installed	Android 8.0
Haze rate	25%	Video formats supported	3GPP, ASF, AVI, AVS, DIVX, FLV, H.263, H.264, MP4, MPEG, MPEG1, MPEG2, RM, VP9, WMV, XVID
Surface hardness	3H	Audio formats supported	AAC, ASF, FLAC, MP3, OPUS, WAV
Ports & interfaces		Image formats supported	BMP, JPEG, PNG
HDMI ports quantity *	3	Weight & dimensions	
HDMI version	2.0	Width	1450.6 mm
HDMI input ports quantity	2	Depth	78.5 mm
HDMI output ports quantity	1	Height	828.1 mm
DVI port *	✗	Weight	22.9 kg
VGA (D-Sub) input ports	1		
DisplayPorts quantity *	1		
USB port *	✓		
USB ports quantity	3		

Ports & interfaces		Packaging data	
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)	Package width	1605 mm
Ethernet LAN *	✓	Package depth	220 mm
Ethernet LAN (RJ-45) ports	1	Package height	965 mm
Wi-Fi *	✗	Package weight	33.6 kg
OPS module slot	✓	Packaging content	
Audio		Remote control included	✓
Built-in speaker(s) *	✓	Batteries included	✓
Number of built-in speakers	2	Cables included	AC, HDMI
RMS rated power	32 W	Operational conditions	
Design		Operating temperature (T-T)	0 - 40 °C
Product design *	Digital signage flat panel	Operating relative humidity (H-H)	10 - 80%
Placement supported *	Indoor	Storage temperature (T-T)	-10 - 60 °C
Orientation	Horizontal	Storage relative humidity (H-H)	10 - 80%
Product colour *	Black	Certificates	
VESA mounting *	✓	Certification	cTUVus, FCC, Energy Star, RoHS, Mexico CoC, Mexico Energy
Panel mounting interface	400 x 200 mm	Logistics data	
Anti-glare screen	✓	Harmonized System (HS) code	85285210
Performance		Technical details	
Purpose *	Universal	Sustainability certificates	ENERGY STAR
Operating hours (hours/days)	24/7	Compliance certificates	RoHS
HDCP	✓		
HDCP version	2.2		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-DEC-2024. Prints or copies of Information are only valid on the printed Publication date