

## C2G USB-C 10-in-1 Triple Display Docking Station with HDMI, DisplayPort, VGA, Ethernet, USB, SD Card Reader, 3.5mm Audio and Power Delivery up to 100W - 4K 30Hz

Brand: C2G Product code: 54542

**Product name :** USB-C 10-in-1 Triple Display Docking Station with HDMI, DisplayPort, VGA, Ethernet, USB, SD Card Reader, 3.5mm Audio and Power Delivery up to 100W - 4K 30Hz



- Supports up to 100W of power delivery to keep your laptop charged
- Single display setup with HDMI or DisplayPort, supporting resolutions up to 4K, for viewing your screen content at full HD
- Single display with VGA, supporting resolutions up to 1080p
- Dual display setup, with any combo of HDMI, DisplayPort, or VGA, supporting resolutions up to 1080p
- Triple display setup, with HDMI, DisplayPort, and VGA, supporting resolutions up to 720p
- Reversible, symmetrical USB-C connector, so no guessing how to plug it into your laptop USB-C 10-in-1 Triple Display Docking Station with HDMI, DisplayPort, VGA, Ethernet, USB, SD Card Reader, 3.5mm Audio and Power Delivery up to 100W 4K 30Hz









Ports & interfaces		Performance	
Connectivity technology * Host interface * USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Wired USB 3.2 Gen 1 (3.1 Gen 1) Type-C 1	Maximum digital resolution  Maximum refresh rate  Product colour *  Housing material	3840 x 2160 pixels 60 Hz Grey Aluminium
ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	<b>Power</b> USB cable length	0.5 m
USB Power Delivery	<b>√</b> 100 W	Software	
USB Power Delivery up to HDMI ports quantity * VGA (D-Sub) ports quantity	100 W 1 1	Windows operating systems supported Mac operating systems supported	4
DisplayPorts quantity Combo headphone/mic port	1	Linux operating systems supported	7
Headphone outputs * Headphone connectivity	1 3.5 mm	Operational conditions Operating temperature (T-T)	0 - 40 °C
Network		Storage temperature (T-T)	-25 - 70 °C
Ethernet LAN * Ethernet LAN (RJ-45) ports	<b>√</b> 1	Sustainability Sustainability compliance	<b>✓</b>
Ethernet LAN data rates	10,100,1000 Mbit/s	Weight & dimensions	
Performance		Width	260 mm
Card reader integrated * Compatible memory cards	✓ MicroSD (TransFlash), SD, SDHC,	Depth Height	89.7 mm 23.4 mm
Data transfer rate	SDXC F. Chit/c	Technical details	
HD type	5 Gbit/s 4K Ultra HD	Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS





757120545422

0757120545422

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.